

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





Anti-Fluorescein [4-4-20 (enhanced)] Standard Size Ab00102-24.2

This chimeric goat antibody was made using the variable domain sequences of the original mouse IgG2a format, for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Goat IgG, Kappa **Clone Number:** 4-4-20 (enhanced)

Alternative Name(s) of Target: FL; FII; FITC; Fluorescein isothiocyanate; fluorescein isothiocyanate, isomer 1; Fluorescyl; Resorcinolphthalein; C.I. 45350; solvent yellow 94; D & C yellow no. 7; Angiofluor; Japan yellow 201; Soap yellow; 3′,6′-dihydroxyspiro[isobenzofuran-1(3H),9′-[9H]xanthen]-3-one

UniProt Accession Number of Target Protein:

Published Application(s): in vivo, negative control **Published Species Reactivity:** Species independent

Immunogen: The original antibody was generated by immunizing BALB/c mice with fluorescein I-keyhole limpet hemocyanin (FII-KLH).

Specificity: This antibody is specific for fluorescein I.

Application Notes: This antibody, a humanized, enhanced scFv of the original mouse IgG2a antibody, was constructed by grafting the CDRs of the original antibody onto the humanized 4D5 anti-HER2 antibody framework, and subsequently enhancing it with respect to folding and stability via randomization in the form of DNA shuffling, as well as oligonucleotides encoding mutations at defined positions (Jung et al., 1999; PMID: 10556036). The original antibody was tested against FII-BSA. The enhanced antibody fragment was tested against FITC-BSA. This antibody can be used as an isotype control in both *in vitro* and *in vivo* applications. This antibody is not conjugated to fluorescein.

Antibody First Published in: Jung et al., Selection for improved protein stability by phage display. J Mol Biol. 1999 Nov 19;294(1):163-80. PMID:10556036

Note on publication: The original publication explores the selection of improved protein stability using phage display, generating mutants of the single-chain Fv fragment variant of clone 4-4-20 and comparing selection strategies under different conditions, ultimately yielding a significantly more stable mutant with 20-fold-enhanced binding properties.

Product Form

Size: 100 μg Purified antibody.

Purification: Protein A affinity purified **Supplied In:** PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -

20°C.

Concentration: 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.