



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-hapten 4-hydroxy-3-nitrophenyl acetyl (NP) [B1-8] Bulk Size Ab00104-10.2-BT

This antibody has a mutation to remove the CH2 IgG glycosylation site.

This is a chimeric antibody created as part of a panel offering antibodies of the same specificity in different formats (species, isotype, subtype and modified versions) for use as isotype controls.

**Isotype and Format:** Human IgG1, Aglycosylated, Lambda

**Clone Number:** B1-8

**Alternative Name(s) of Target:**

**UniProt Accession Number of Target Protein:** n/a

**Published Application(s):** negative control, WB, FC

**Published Species Reactivity:** n/a

**Immunogen:** hapten-protein conjugated NP12-chicken gammaglobulin (CG).

**Specificity:** Hapten (4-hydroxy-3-nitrophenyl) acetyl (NP).

**Application Notes:**

**Antibody First Published in:** Reth M, Hämmerling GJ, Rajewsky K. Analysis of the repertoire of anti-NP antibodies in C57BL/6 mice by cell fusion. I. Characterization of antibody families in the primary and hyperimmune response. Eur J Immunol. 1978 Jun;8(6):393-400. [PMID:97089](#)

**Note on publication:** Describes the making of the antibody, shows it recognised NP in immuno-blotting of cell lines, and analysis of a spectrum of individual antibodies appearing in the primary and hyperimmune anti-NP response.

### Product Form

**Size:** 1 mg Purified antibody in bulk size.

**Purification:** Protein A affinity purified

**Supplied In:** PBS only.

**Storage Recommendation:** Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommended this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

**Concentration:**

1 mg /ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.