



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-hapten 4-hydroxy-3-nitrophenyl acetyl (NP) [B1-8] Standard Size Ab00104-2.2

This antibody has a mutation to remove the CH2 IgG glycosylation site.

This is a chimeric antibody created as part of a panel offering antibodies of the same specificity in different formats (species, isotype, subtype and modified versions) for use as isotype controls.

Isotype and Format: Mouse IgG2a, Aglycosylated, Lambda

Clone Number: B1-8

Alternative Name(s) of Target:

UniProt Accession Number of Target Protein: n/a

Published Application(s): negative control, WB, FC

Published Species Reactivity: n/a

Immunogen: hapten-protein conjugated NP12-chicken gammaglobulin (CG).

Specificity: Hapten (4-hydroxy-3-nitrophenyl) acetyl (NP).

Application Notes:

Antibody First Published in: Reth M, Hämmerling GJ, Rajewsky K. Analysis of the repertoire of anti-NP antibodies in C57BL/6 mice by cell fusion. I. Characterization of antibody families in the primary and hyperimmune response. Eur J Immunol. 1978 Jun;8(6):393-400. [PMID:97089](#)

Note on publication: Describes the making of the antibody, shows it recognised NP in immuno-blotting of cell lines, and analysis of a spectrum of individual antibodies appearing in the primary and hyperimmune anti-NP response.

Product Form

Size: 200 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic

procedures for humans or animals.