



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-Unknown Specificity (Isotype control) [MOPC-21] Standard Size Ab00178-1.6

This is a Fab fragment with a his-tag.

This is a chimeric antibody created as part of a panel offering antibodies of the same specificity in different formats (species, isotype, subtype and modified versions) for use as isotype controls.

**Isotype and Format:** Mouse Fab fragment, His-Tagged, Kappa

**Clone Number:** MOPC-21

**Alternative Name(s) of Target:** MOPC21

**UniProt Accession Number of Target Protein:**

**Published Application(s):** negative control, WB, FC

**Published Species Reactivity:**

**Immunogen:**

**Specificity:** An antibody of unknown specificity that maybe used as a negative control.

**Application Notes:**

**Antibody First Published in:** Bothwell AL et al (VH); Hamlyn PH et al (VL) Heavy chain variable region contribution to the NPb family of antibodies: somatic mutation evident in a gamma 2a variable region. (VH), Complete sequence of an immunoglobulin mRNA using specific priming and the dideoxynucleotide method of RNA seq. (VL) Cell. 1981 Jun;24(3):625-37. (VH), Nucleic Acids Res. 1981 Sep 25;9(18):4485-94. (VL)

[PMID:6788376 \(VH\)](#); [6170937 \(VL\)](#)

**Note on publication:**

### Product Form

**Size:** 200 µg Purified antibody.

**Purification:** Purified by Immobilized Metal Affinity Chromatography

**Supplied In:** PBS with 0.02% Proclin 300.

**Storage Recommendation:** Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic

procedures for humans or animals.