



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-Unknown Specificity (Isotype control) [MOPC-21] Bulk Size Ab00178-8.2-BT

This antibody has a mutation to remove the CH2 IgG glycosylation site.

This is a chimeric antibody created as part of a panel offering antibodies of the same specificity in different formats (species, isotype, subtype and modified versions) for use as isotype controls.

Isotype and Format: Rat IgG2b, Aglycosylated, Kappa

Clone Number: MOPC-21

Alternative Name(s) of Target: MOPC21

UniProt Accession Number of Target Protein:

Published Application(s): negative control, WB, FC

Published Species Reactivity:

Immunogen:

Specificity: An antibody of unknown specificity that maybe used as a negative control.

Application Notes:

Antibody First Published in: Bothwell AL et al (VH); Hamlyn PH et al (VL) Heavy chain variable region contribution to the NPb family of antibodies: somatic mutation evident in a gamma 2a variable region. (VH), Complete sequence of an immunoglobulin mRNA using specific priming and the dideoxynucleotide method of RNA seq. (VL) Cell. 1981 Jun;24(3):625-37. (VH), Nucleic Acids Res. 1981 Sep 25;9(18):4485-94. (VL)

PMID:[6788376 \(VH\)](#); [6170937 \(VL\)](#)

Note on publication:

Product Form

Size: 1 mg Purified antibody in bulk size.

Purification: Protein A affinity purified

Supplied In: PBS only.

Storage Recommendation: Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommended this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

Concentration:

1 mg /ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.