



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-Carbonic Anhydrase IX [M75] Standard Size Ab00414-3.3

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

This is a reformatted mouse IgG2b Fc Silent™ antibody, based on the original mouse IgG2b format, created for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Mouse IgG2b, [Fc Silent™](#), Kappa

Clone Number: M75

Alternative Name(s) of Target: CA9; MN/CA IX; endogenous protein p54/58N

UniProt Accession Number of Target Protein: Q16790

Published Application(s): Blocking, crystallography, IB, ITC, WB, ELISA, FC, IF, IHC

Published Species Reactivity: Human

Immunogen: The original antibody was generated by immunizing BALB/C mice with MaTu-infected HeLa cells.

Specificity: This antibody is specific for the sequence PGEEDLP, which is repeated several times between the 61st and 96th aa residues of human carbonic anhydrase IX's PG domain.

Application Notes: The original format of this antibody (mouse IgG2b) was characterized by and used in IB (WB), IF, and FC assays (Pastoreková et al., 1992; PMID: 1312272). This antibody's epitope has been determined by a competitive ELISA against the peptide APGEEDLPA. Furthermore, it was used for WB and was shown to blocks the capacity of immobilized MN/CA IX to attach cells (Závada et al., 2000; PMID: 10839295). The Fab version of this antibody was crystallized and analyzed. Additionally, an scFv version of this antibody was created, and its thermodynamic parameters against the peptide DLPGEEDLPGE were evaluated via ITC. Its K_d was determined to be 0.42 µM (Král et al., 2008; PMID: 18041760). This antibody was used for WB in breast cell lines and for IHC in xenograft tumors grown from PC-3 cells in mice (Li et al., 2009; PMID: 19538935).

Antibody First Published in: Pastoreková et al. A novel-quasi-viral agent, MaTu, is a two-component system. *Virology*. 1992 Apr;187(2):620-6. [PMID:1312272](#)

Note on publication: The original publication introduces MaTu, a quasi-viral agent derived from a human mammary tumor, and details the generation and characterization of monoclonal antibodies against it.

Product Form

Size: 100 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.