

# Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

## Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

#### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





## Anti-MRP1 [A5 scFv] Standard Size Ab00751-10.6

This is a Fab fragment with a his-tag.

This chimeric human antibody was made using the variable domain sequences of the original Mouse scFv format, for improved compatibility with existing reagents, assays and techniques.

**Isotype and Format:** Human Fab fragment, His-Tagged, Kappa

Clone Number: A5 scFv

Alternative Name(s) of Target: Multidrug resistance-associated protein 1; MRP-1; MRPI; MRP-I; ATP-

binding cassette sub-family C member 1; Leukotriene C(4) transporter; LTC4 transporter

**UniProt Accession Number of Target Protein:** P33527

Published Application(s): ELISA, FC
Published Species Reactivity: Human

**Immunogen:** A5 scFv was isolated from a phage display. The source of the antibody genes came from the spleens of mice which had been immunized with f88 filamentous bacteriophages displaying a peptide derived from the extracellular N-terminus (aa 1-18) of human MRP1. The scFv A5 was expressed in BL21 E. coli cells and purified from the periplasmic fraction by metal-ion affinity chromatography.

**Specificity:** A5 scFv binds specifically to the extracellular N-terminus of MRP1, with no cross-reactivity with other MRPs or BCRP. FC analysis showed that A5 reacts strongly with viable ovarian carcinoma 2008/MRP1 and small cell lung carcinoma GLC4/ADR cells that overexpress MRP1. MRP1 is a member of the ABC superfamily of transporter proteins and confers resistance to various toxic compounds and are involved in multi-drug resisitance in chemotherapy. This protein mediates the export of organic anions and drugs from the cytoplasm.

**Application Notes:** standard and saturation ELISA. The avidity of the scFv wsa increased for FC studies through tetramerization of A5 by adding a BirA tag to the C terminus for site-specific biotinylation and tetramerized using PE-labelled streptavidin.

**Antibody First Published in:** Binyamin et al. Targeting an extracellular epitope of the human multidrug resistance protein 1 (MRP1) in malignant cells with a novel recombinant single chain Fv antibody. Int J Cancer. 2004 Jul 20;110(6):882-90. PMID:15170671

**Note on publication:** Describes the generation and characterization of A5 scFv, which binds specifically to MRP1.

#### **Product Form**

**Size:** 100 μg Purified antibody.

Purification: Purified by Immobilized Metal Affinity Chromatography

**Supplied In:** PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -

20°C.

**Concentration:** 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.