



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-HBsAg [F124] Standard Size Ab00768-10.0

Isotype and Format: Human IgG1, Kappa

Clone Number: F124

Alternative Name(s) of Target: HBV M protein; Hepatitis B virus surface antigen; Hepatitis B surface antigen; HBV surface antigen; HBV-sAg; Hepatitis B virus M protein; Major surface protein

UniProt Accession Number of Target Protein: Q773S4

Published Application(s): NTRL, RIA, WB, ELISA

Published Species Reactivity: Hepatitis B Virus

Immunogen: BALB/c mice were immunized by injection of HBV particles serotype ay, purified from HBsAg-positive patient blood sera. Splenocytes from immunized mice were then fused with the Sp2/0-Ag myeloma cell line.

Specificity: F124 was shown to react with an epitope within the pre-S2 region of the HBV surface antigen M protein, shown by Western blot and RIA using both full viral particles and HBsAg particles (Budkowska et al, 1986). F124 is also reactive against a synthetic peptide corresponding to the N-terminal residues 120-150 (FPAGSSSGTVNPVLTASPL) of the pre-S2 region (Ni et al, 2010). Hepatitis B is one of the most common infectious diseases on a global scale, with infection associated with both acute and chronic liver inflammation and implicated in up to half of all occurring hepatocellular carcinomas.

Application Notes: F124 was used as a solid-phase coating for RIAs detecting HBV particles, resulting in particle immobilisation by binding the pre-S2 epitope of the surface antigen (Budkowska et al, 1986). An scFv-formatted version of F124, comprising the same VH and VL sequences, showed dose-dependent binding to, and competitive blocking of IgG and Fab against, r-HBsAg in an ELISA (Passafiume et al, 1998). Size-exclusion HPLC indicates that, while the scFv monomer shows no tendency to aggregate at low concentrations, equilibrium is achieved at a monomer/dimer ratio of 3:1 at high protein concentrations.

Antibody First Published in: Budkowska et al. Monoclonal antibody recognizing pre-S(2) epitope of hepatitis B virus: characterization of pre-S(2) epitope and anti-pre-S(2) antibody. J Med Virol. 1986 Oct;20(2):111-25. [PMID:2430050](#)

Note on publication: Describes the original generation of this antibody and characterizes its specificity and functionality.

Product Form

Size: 200 µg Purified antibody.

Purification:

Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.