



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-HIV-1 protease [F11.2.32] Bulk Size Ab00805-23.0-BT

This chimeric rabbit antibody was made using the variable domain sequences of the original Mouse IgG1 format, for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Rabbit IgG, Kappa

Clone Number: F11.2.32

Alternative Name(s) of Target: HIV-1 PR; HIV1 PR; HIV1 protease

UniProt Accession Number of Target Protein: O90777

Published Application(s): neutralize, ELISA

Published Species Reactivity: HIV-1

Immunogen: F11.2.32 was prepared by generating a hybridoma cell line in which myeloma cells were fused with splenocytes derived from BALB/c mice immunized with HIV-1 PR in the presence of Freund's adjuvant. F11.2.32 was selected for its ability to bind to HIV-1 PR by ELISA.

Specificity: F11.2.32 Fab binds to HIV-1 PR with a dissociation constant of 5 nM (determined by SPR at pH5.2) at an epitope consisting of MSLPGRWKPKM (aa 36-46). HIV-1 PR is a homodimeric aspartate protease that specifically cleaves the viral Gag and Gag/Pol polyprotein precursor. A correlation has been observed between the activity of the protease and the degree of infectivity, and so this protein is a major antiviral target.

Application Notes: The IgG and Fab variants of F11.2.32 are both able to strongly inhibit the catalytic activity of HIV-1 PR (IC₅₀ ~35 nM). Inhibition occurs by distorting the native structure of the HIV-1 PR at the base of the flap region, which plays an important role in regulating access to the active site. This antibody is also able to detect HIV-1 PR by ELISA.

Antibody First Published in: Lescar et al. Preliminary crystallographic studies of an anti-HIV-1 protease antibody that inhibits enzyme activity Protein Sci. 1996 May;5(5):966-8. [PMID:8732768](#)

Note on publication: Describes the generation of the mAb F11.2.32 and its crystallization in complex with peptide fragments of HIV-1 PR.

Product Form

Size: 1 mg Purified antibody in bulk size.

Purification: Protein A affinity purified

Supplied In: PBS only.

Storage Recommendation: Store at 4°C for up to 3 months. Note, this antibody is provided without

added preservatives, it is therefore recommended this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg /ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.