



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-IgM [1.14] Bulk Size Ab02046-23.0-BT

This chimeric rabbit antibody was made using the variable domain sequences of the original mouse IgG1 format, for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Rabbit IgG, Kappa

Clone Number: 1.14

Alternative Name(s) of Target: Trout immunoglobulin M; immunoglobulin M

UniProt Accession Number of Target Protein:

Published Application(s): affinity chromatography, IP, RIP, ELISA, FC, IF

Published Species Reactivity: Trout

Immunogen: This antibody was raised by immunizing female BALB/c mice with purified trout IgM.

Specificity: This antibody is specific for trout IgM. It reacts with the IgM heavy chain (Hedfors et al, 2012, pmid:23009920). It is not directed against nonprotein antigenic parts of the IgM, which is shown by the failure of IgM glycopeptides to inhibit precipitation (Deluca et al, 1983, pmid:6347695). 1.14 is crossreactive with atlantic salmon IgM (Hedfors et al, 2012, pmid:23009920). The antibody targets either IgM-A or IgM-B (Hedfors et al, 2012, pmid:23009920). It has been shown that this antibody does not show crossreactivity with catfish IgM (Moulana et al, 2008, pmid:18676026).

Application Notes: This antibody has been used for affinity chromatography with the protein A (Deluca et al, 1983, pmid:6347695). The antibody was shown to be effective in flow cytometry application (Deluca et al, 1983, pmid:6347695). It was demonstrated that this antibody can be utilized in the immunofluorescence staining of trout head kidney, spleen and thymus cells (Deluca et al, 1983, pmid:6347695). Furthermore, it has been shown that this antibody can be used in the immunoprecipitation of trout IgM (Deluca et al, 1983, pmid:6347695). It is used in western blots as a negative against catfish IgL σ (Edholm et al, 2010, pmid:20149930) and MHC class II β (Moulana et al, 2008, pmid:18676026). Finally, 1.14 antibody can be used to detect trout antibody in an ELISA (Costa et al, 2011, pmid: 21641928).

Antibody First Published in: Dominick DeLuca, Melanie Wilson and Gregory W. Warr Lymphocyte heterogeneity in the trout, *Salmo gairdneri*, defined with monoclonal antibodies to IgM* Eur. J. Immunol 13: 546-551. [PMID:6347695](#)

Note on publication: It describes the generation of the antibody and its use in research on the trout immune system.

Product Form

Size: 1 mg Purified antibody in bulk size.

Purification: Protein A affinity purified

Supplied In: PBS only.

Storage Recommendation: Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommended this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg /ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.