



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-Ft OAg [Ab52] Bulk Size Ab02346-201.1-BT

This reformatted dog antibody was made using the variable domain sequences of the original Mouse IgA format, for improved compatibility with existing reagents, assays and techniques.

**Isotype and Format:** Dog IgG2 (IgG-B), Kappa

**Clone Number:** Ab52

**Alternative Name(s) of Target:** O-antigen of Francisella tularensis; O-antigen ligase family protein

**UniProt Accession Number of Target Protein:** A0A0B6E216

**Published Application(s):** ELISA,

**Published Species Reactivity:** Francisella tularensis, Francisella tularensis subsp. Holarctica

**Immunogen:** The original antibody was generated by repeatedly immunizing BALB/c mice with live vaccine strain (LVS) and F. tularensis lipopolysaccharide admixed with CpG ODN 1826 (TCC ATG ACG TTC CTG ACG TT) (an oligodeoxynucleotide containing unmethylated CpG dinucleotides with fully phosphorothioate backbone).

**Specificity:** This antibody strongly binds the internal O-antigen (OAg) of the gram-negative bacterium Francisella tularensis (Ft).

**Application Notes:** This potent binder can be used to detect the O antigen of F. tularensis. The antigen specificity of this antibody was tested using ELISA. It is capable of binding to heat killed live vaccine strain and SchuS4 F. tularensis strains in an ELISA. This antibody was also capable of detecting the longer chains of the lipopolysaccharide ladder in a western blot assay (PMID: 21466282). Ab52 can be used as a reporter to monitor the response of vaccine recipients to protective B-cell epitopes of F. tularensis OAg (PMID: 22486311).

**Antibody First Published in:** Roche et al. Characterization of monoclonal antibodies to terminal and internal o-antigen epitopes of Francisella tularensis lipopolysaccharide. Hybridoma (Larchmt). (2011); 30(1): 19-28. [PMID:21466282](#)

**Note on publication:** Describes the generation of antibodies towards terminal and internal O-antigen epitopes of Francisella tularensis lipopolysaccharide.

## Product Form

**Size:** 1 mg Purified antibody in bulk size.

**Purification:** Protein A affinity purified

**Supplied In:**

PBS only.

**Storage Recommendation:** Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommended this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.