



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-properdin [3A3E1] Standard Size Ab02512-1.1

Isotype and Format: Mouse IgG1, Kappa

Clone Number: 3A3E1

Alternative Name(s) of Target: factor P; Complement factor P; properdin mab

UniProt Accession Number of Target Protein: P27918

Published Application(s): AP-Mediated Hemolytic Assays, WB, ELISA

Published Species Reactivity: Human

Immunogen: The original antibody was generated by immunizing mice against purified human properdin.

Specificity: The antibody is specific for properdin. It recognizes human, baboon, rabbit, and canine properdin, but not mouse, rat, feline or ferret properdin.

Application Notes: The specificity of the original format of the antibody was confirmed by ELISA analysis. The antibody detected only non-reduced properdin as evaluated by western blot analysis. The antibody inhibited AP-mediated hemolysis of rabbit erythrocytes. The ability of the antibody to inhibit the binding of properdin to C3b was tested by flow cytometry. The antibody completely impaired the binding of properdin to C3b-coated erythrocytes (ESC3b) (Chen et al. 2020; PMID: 32793201). Further, the antibody inhibited PGA formation relative to TRAP alone (Blatt et al., 2016; PMID: 27183616).

Antibody First Published in: Chen et al. Properdin Is a Key Player in Lysis of Red Blood Cells and Complement Activation on Endothelial Cells in Hemolytic Anemias Caused by Complement Dysregulation *Front Immunol.* 2020 Jul 22;11:1460. [PMID:32793201](#)

Note on publication: The original paper describes the generation and characterization of the antibody.

Product Form

Size: 100 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.