



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-P-Cadherin [6A9] Standard Size Ab02535-1.1

**Isotype and Format:** Mouse IgG1, Kappa

**Clone Number:** 6A9

**Alternative Name(s) of Target:** Cadherin 3 type 1; Cadherin-3; Cadp; Calcium dependent adhesion protein placental; CDH3; CDHP; HJMD; P-cadherin (Placental); PCAD; Placental cadherin

**UniProt Accession Number of Target Protein:** P22223

**Published Application(s):** IP, WB, IF, IHC

**Published Species Reactivity:** Human

**Immunogen:** The original antibody was generated by immunizing mice against a 72-kilodalton (kDa) P-cadherin fragment from A-431 cells.

**Specificity:** The antibody is specific for P-Cadherin-1 (CDH3). P-Cadherin-1 is a calcium-dependent cell-cell adhesion glycoprotein comprised of five extracellular cadherin repeats, a transmembrane region and a highly conserved cytoplasmic tail.

**Application Notes:** The antibody detected human P-Cadherin from A431 cell lysate by Western blot analysis. The antibody was used to immunoprecipitate P-Cadherin. Further, the antibody was shown to have inhibitory activity, by disrupting P-cadherin-mediated cell-cell adhesion with A-431 cells (Lewis et al., 1994; PMID: 8006450). The antibody detected P-cadherin by immunofluorescence (Owens et al., 2000; PMID: 10708559).

**Antibody First Published in:** Lewis et al. Cadherin function is required for human keratinocytes to assemble desmosomes and stratify in response to calcium *J Invest Dermatol.* 1994 Jun;102(6):870-7.

[PMID:8006450](#)

**Note on publication:** The original paper describes the generation and characterization of the antibody.

### Product Form

**Size:** 100 µg Purified antibody.

**Purification:** Protein A affinity purified

**Supplied In:** PBS with 0.02% Proclin 300.

**Storage Recommendation:** Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.