



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-CIP2A [HL1925] Standard Size Ab02587-10.3

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

This is a reformatted human IgG1 Fc Silent Fc Silent™ antibody, based on the original human IgG1 format, created for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Human IgG1, Fc Silent™, Kappa

Clone Number: HL1925

Alternative Name(s) of Target: Cancerous inhibitor of protein phosphatase 2A; Cancerous inhibitor of PP2A; Protein CIP2A; p90 autoantigen; KIAA1524

UniProt Accession Number of Target Protein: Q8TCG1

Published Application(s): IHC (P), WB

Published Species Reactivity: Human

Immunogen: The original antibody was generated by immunizing mice with C-terminal CIP2A as an immunogen.

Specificity: This antibody binds human CIP2A (cancerous inhibitor of protein phosphatase 2A). CIP2A is an oncoprotein that inhibits protein phosphatase 2A (PP2A), stabilizes MYC, and is involved in the progression of several human malignancies. It promotes anchorage-independent cell growth and tumor formation. Antibodies against CIP2A are present in sera from many patients with gastric or prostate cancer and acts as prognostic marker in many cancers.

Application Notes: This antibody can be used for the immunohistochemical staining of CIP2a expressed on the surface of prostate cancer, benign prostatic hyperplasia and high grade prostatic intraepithelial neoplasia tissues (PMID: 32860375). This antibody can be for the identification of CIP2a protein from cell lysates using western blot (PMID: 31031016).

Antibody First Published in: PMID:

Note on publication:

Product Form

Size: 100 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In:

PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.