



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-Ricin [LR12D] Standard Size Ab02811-10.159

This chimeric human antibody was made using the variable domain sequences of the original VHH format for improved compatibility with existing reagents assays and techniques.

**Isotype and Format:** Human IgG1-Fc fusion

**Clone Number:** LR12D

**Alternative Name(s) of Target:** rRNA N-glycosidase; Ricin B chain

**UniProt Accession Number of Target Protein:** P02879

**Published Application(s):** ELISA

**Published Species Reactivity:** Ricinus communis (Castor bean)

**Immunogen:** The original antibody was isolated from a non-immune semisynthetic llama library constructed from blood samples (6 ml) collected from the left jugular vein of three research naïve mature llamas. The specific clones were selected using Luminex xMAP technology in addition to ELISA.

**Specificity:** This antibody binds ricin, specifically the B chain of ricin.

**Application Notes:** The binding specificity of this antibody towards ricin was checked using ELISA. The original VHH version of this antibody is reported to bind ricin and ricin B chain with a dissociation constant of 12nM and 10nM respectively. This antibody can be used as a capture molecule in sandwich immunoassays. (PMID:18251258).

**Antibody First Published in:** Anderson et al. Multiplexed fluid array screening of phage displayed anti-ricin single domain antibodies for rapid assessment of specificity. *Biotechniques*. 2007 Dec;43(6):806-11. PMID:18251258

**Note on publication:** A semisynthetic llama library was constructed from non-immune llamas and binders specific for ricin toxin were selected using Luminex xMAP technology and ELISA.

### Product Form

**Size:** 100 µg Purified antibody.

**Purification:** Protein A affinity purified

**Supplied In:** PBS with 0.02% Proclin 300.

**Storage Recommendation:** Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic

procedures for humans or animals.