



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-PD-1 [29F.1A12] Bulk Size Ab02816-2.0-BT

This chimeric mouse antibody was made using the variable domain sequences of the original Rat IgG2a format, for improved compatibility with existing reagents, assays and techniques.

**Isotype and Format:** Mouse IgG2a, Kappa

**Clone Number:** 29F.1A12

**Alternative Name(s) of Target:** CD279; Programmed cell death protein 1; Protein PD-1; mPD-1

**UniProt Accession Number of Target Protein:** Q02242

**Published Application(s):** Blocking, IHC, WB, FC

**Published Species Reactivity:** Mouse

**Immunogen:** The antibody was raised by immunizing rats with plasmid DNA containing PD-1.

**Specificity:** This antibody recognizes an epitope on mouse PD-1.

**Application Notes:** This antibody was used for detection of PD-1 in CHO cells using flow cytometry. The ability of the antibody to block PD-1 interaction with PD-L1 or PD-L2 on CHO cells in an in vitro blocking assay was tested; the clone blocked PD-L1 Ig and PD-L2 Ig binding at high concentration, but only blocked 35% of PD-L1 Ig or PD-L2 Ig binding at 10 ug/ml. This antibody was also used for immunohistochemical studies of various mouse tissues, such as heart (Liang et al, 2003; pmid: 14515254). In vivo anti-tumor effect in terms of level of tumor growth reduction was studied, a significant tumor growth reduction was observed in the tumors from mice treated with the antibody (Tobias et al, 2020; pmid: 32528470). The antibody was used for the detection of PD-1 in EL4 cells using flow cytometry. The antibody was used for cross-blocking with the unconjugated version of the same clones and it was reported to prevent PD-1 from interacting with PD-L1 (Polesso et al, 2021; pmid: 33684223). The antibody was used as a positive control for CT26 tumor model, a murine model of colon cancer (Kaumaya et al.; pmid:33117602).

**Antibody First Published in:** Liang et al. Regulation of PD-1, PD-L1, and PD-L2 expression during normal and autoimmune response Eur. J. Immunol. 2003. 33: 2706-2716 [PMID:14515254](#)

**Note on publication:**

### Product Form

**Size:** 1 mg Purified antibody in bulk size.

**Purification:** Protein A affinity purified

**Supplied In:** PBS only.

**Storage Recommendation:** Store at 4°C for up to 3 months. Note, this antibody is provided without

added preservatives, it is therefore recommended this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.