



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-B7-H4 [S2] Standard Size Ab02977-30.11

This is an scFv fragment with a His tag.

Isotype and Format: scFv fragment (His), ScFv

Clone Number: S2

Alternative Name(s) of Target: B7H4; B7 homolog 4; B7h.5; O8E; Immune costimulatory protein B7-H4; B7S1; Protein B7S1; B7x; T-cell costimulatory molecule B7x; VTCN1; V-set domain-containing T-cell activation inhibitor 1

UniProt Accession Number of Target Protein: Q7Z7D3

Published Application(s): WB, Block, ELISA

Published Species Reactivity: Human

Immunogen: The original antibody was generated by immunizing female white leghorn chickens with 50 µg of recombinant B7-H4 protein (Phe29 to Ala258) through intramuscular injection. The spleens of the chickens were harvested 7 days after the final immunization to construct an scFv antibody library. The antibody was isolated by panning against B7-H4 protein.

Specificity: This antibody binds a linear epitope comprising amino acids (VIQWLKEGVLGLVHEFK) of the human B7-H4.

Application Notes: This antibody recognized intact wild type human B7-H4 and linear epitope comprising amino acids 'VIQWLKEGVLGLVHEFK' in an ELISA. This antibody was also capable of recognizing B7-H4 in a western blot assay. The binding of this antibody to B7-H4 protein can effectively neutralize the immunosuppression response induced by B7-H4 proteins, thus enabling T-cells to retain their activation status (PMID: 33716253).

Antibody First Published in: Lin et al. Generation of avian-derived anti-B7-H4 antibodies exerts a blockade effect on the immunosuppressive response. *Exp Anim.* 2021 Aug 6;70(3):333-343. [PMID:33716253](#)

Note on publication: Describes the generation of chicken antibodies against human B7-H4.

Product Form

Size: 50 µg Purified antibody.

Purification: Purified by Immobilized Metal Affinity Chromatography

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration:

1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.