



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-S protein (RBD) [5F8] Bulk Size Ab03059-1.159-BT

This chimeric mouse antibody was made using the variable domain sequences of the original VHH format for improved compatibility with existing reagents assays and techniques.

Isotype and Format: Mouse IgG1-Fc fusion

Clone Number: 5F8

Alternative Name(s) of Target: Spike glycoprotein; Receptor Binding Domain; SARS CoV 2 S glycoprotein; COVID-19 Spike protein; RBD; Receptor Binding Domain; S glycoprotein; SARS coronavirus 2 S protein; SARS coronavirus 2 Spike Protein; SARS CoV 2 Spike protein; SARS CoV 2; SARS-CoV-2 S protein; SARSCoV2; SARS-COV-2 S protein; SARS-COV-2 Spike glycoprotein; SARSCOV2 Spike protein; Severe acute respiratory syndrome 2 spike glycoprotein; Severe acute respiratory syndrome virus 2 spike glycoprotein; S glycoprotein; E2; Peplomer protein

UniProt Accession Number of Target Protein: P0DTC2

Published Application(s): in vitro neutralization, SPR

Published Species Reactivity: SARS-CoV-2

Immunogen: The original antibody was generated by using phage display technology by biopanning a full synthetic, humanized phage display library with recombinant RBD protein.

Specificity: The antibody binds the receptor binding domain (RBD) of the SARS-CoV-2 Spike protein.

Application Notes: The binding affinity of the VHH fragment towards SARS-CoV-2 or SARS-CoV RBD was measured using surface plasmon resonance ($K_d = 0.996$ and $239,2$ nM respectively). The neutralization activity of the VHH fragment with SARS-CoV-2 pseudotypes or SARS-CoV-2 was tested, the showing half maximal neutralization concentration (EC_{50}) of 0.0009 µg/mL and 0.51 µg/mL respectively. Competition-binding assay showed the clone could just partially prevent binding of SARS-CoV-2 RBD to ACE2. Neutralization assay of the bivalent form of the clone fused with human IgG1 Fc against SARS-CoV-2pp was performed, showing $EC_{50} = 0.004$ µg/mL (Chi et al, 2020; pmid: 32913273).

Antibody First Published in: Chi et al. Humanized single domain antibodies neutralize SARS-CoV-2 by targeting the spike receptor binding domain Nat Commun. 2020 Sep 10;11(1):4528. [PMID:32913273](#)

Note on publication: The paper describes the generation and characterization of the antibody.

Product Form

Size: 500 µg Purified antibody in bulk size.

Purification:

Protein A affinity purified

Supplied In: PBS only.

Storage Recommendation: Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommended this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.