



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-Prion protein [mab 132] Bulk Size Ab03222-23.0-BT

This chimeric rabbit antibody was made using the variable domain sequences of the original Mouse IgG1 format for improved compatibility with existing reagents assays and techniques.

**Isotype and Format:** Rabbit IgG, Kappa

**Clone Number:** mab 132

**Alternative Name(s) of Target:** PrPC; ASCR; PrP27-30; PrP33-35C; CD230

**UniProt Accession Number of Target Protein:** P04156

**Published Application(s):** SPR, WB, ELISA, FC, IF

**Published Species Reactivity:** Mouse

**Immunogen:** The original antibody was generated by immunizing PrP gene-ablated mice with PrP.

**Specificity:** The antibody recognizes residues 119–127 of mouse PrP and specifically detects PrPSc under partially denatured conditions.

**Application Notes:** The antibody was employed for detection of PrP in N2a-3 cells, ScN2a-3-22L cells, N2a-3 cells infected with the Chandler strain (ScN2a-3-Ch) and in GT1-7 cells persistently infected with the 22L strain (ScGT1-7-22L) in immunofluorescence analysis. Fluorescent signals in uninfected cells remained at a background level, while granular signal were detected in infected cells (Yamasaki et al., 2012; PMID: 22090211). The specificity of the original format of the antibody was confirmed by ELISA analysis (Kim et al., 2004; PMID: 15003861). The antibody could distinguish between prion-infected cells (ScN2a-3-22L) from uninfected cells (N2a-3) in a cell-based ELISA. The cell-based ELISA was successful also with ScN2a-3-Ch and ScGT1-7-22L. (Shan et al., 2016; PMID: 27565564). The antibody reacted with denatured PrPC and PrPSc in western blot analysis. The antibody reacted with mouse ovine and bovine PrP Sc in western blot analysis (Kim et al., 2004; PMID: 15003861). The antibody genetically conjugated with enhanced green fluorescent protein (EGFP) at the C-terminus of the heavy chain was used for the direct immunostaining of PrPSc in ScN2a-3-22L by IFA (Yamasaki et al., 2014; PMID: 25181483). The antibody was used to detect PrPSc in neurons and glial cells from the brains of prion-infected mice by flow cytometry (Yamasaki et al., 2017; PMID: 29046463). Surface plasmon resonance and ELISA analysis revealed that the binding of monovalent recombinant Fab antibody was significantly weaker than bivalent recombinant IgG antibody, indicating that the bivalent binding is required for the efficient binding to the epitope. The binding kinetics of mono and bivalent antibody to MoPrP was measured using SPR, with KD of 5.5 nM for the Fab fragment and 57 pM for IgG1 (Suzuki et al., 2019; PMID: 31170247).

**Antibody First Published in:** Kim et al. Antigenic characterization of an abnormal isoform of prion protein

using a new diverse panel of monoclonal antibodies Virology. 2004 Mar 1;320(1):40-51. [PMID:15003861](#)

**Note on publication:** The paper describes the generation of a panel of antibodies against prion protein.

## Product Form

**Size:** 1 mg Purified antibody in bulk size.

**Purification:** Protein A affinity purified

**Supplied In:** PBS only.

**Storage Recommendation:** Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommended this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.