



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-CENP-B [5D1] Standard Size Ab03244-10.3

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

This full-length chimeric human antibody was made using the variable domain sequences of the original Chicken scFv format for improved compatibility with existing reagents assays and techniques.

**Isotype and Format:** Human IgG1, Fc Silent™, Lambda

**Clone Number:** 5D1

**Alternative Name(s) of Target:** CENPB; Centromere protein B; Major centromere autoantigen B

**UniProt Accession Number of Target Protein:** P07199

**Published Application(s):** WB, ELISA

**Published Species Reactivity:** Human

**Immunogen:** The original antibody was generated by immunizing a barnevelder chicken with an antibody antigen cocktail comprising recombinant purified human antigens annexin XI, CENP-B, Topo, Jo-1, Ro60, Rpp38 and U1A in complete Freund's adjuvant. B cells that were harvested from the bone marrow and peripheral blood lymphocytes of immunized chickens was used to generate recombinant scFv phage display libraries. The specific clone was identified by panning the library against specific antigen.

**Specificity:** This antibody binds human major centromere autoantigen B (CENP-B). It is a DNA-binding protein that is derived from transposases of the pogo DNA transposon family. It contains a helix-loop-helix DNA binding motif at the N-terminus, and a dimerization domain at the C-terminus. It interacts with centromeric heterochromatin in chromosomes and binds to a specific 17 bp subset of alphoid satellite DNA, called the CENP-B box. This protein is proposed to play an important role in the assembly of specific centromere structures in interphase nuclei and on mitotic chromosomes. It is also considered a major centromere autoantigen recognized by sera from patients with anti-centromere antibodies.

**Application Notes:** The binding characterization of this antibody was done using ELISA. This antibody is also capable of recognizing human CENP-B in a western blot assay (PMID: 18062792).

**Antibody First Published in:** Hof et al. Multiple-antigen immunization of chickens facilitates the generation of recombinant antibodies to autoantigens. Clin Exp Immunol. 2008 Feb; 151(2): 367-377.

[PMID:18062792](#)

**Note on publication:** Describes the generation of chicked antibodies against various human autoantigens.

## Product Form

**Size:** 200 µg Purified antibody.

**Purification:** Protein A affinity purified

**Supplied In:** PBS with 0.02% Proclin 300.

**Storage Recommendation:** Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.