



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-Integrin alpha 4 [HP1/2] Bulk Size Ab03253-10.0-BT

This chimeric human antibody was made using the variable domain sequences of the original Mouse IgG1 format for improved compatibility with existing reagents assays and techniques.

Isotype and Format: Human IgG1, Kappa

Clone Number: HP1/2

Alternative Name(s) of Target: CD49d; VLA-4; $\alpha 4$; VLA4; ITGA4; $\alpha 4\beta 1$; $\alpha 4$ integrin; VLA4 heterodimer ($\alpha 4\beta 1$); Integrin alpha-4; Integrin alpha-IV; VLA-4 subunit alpha; CD49 antigen-like family member D; B1 integrin very late activation antigen-4

UniProt Accession Number of Target Protein: P13612

Published Application(s): inhibit, IP, Block, FC

Published Species Reactivity: Guinea Pig, Human

Immunogen:

Specificity: This antibody specifically binds epitope B of the alpha 4 chain of human integrin alpha 4 (CD49d). Integrins alpha-4/beta-1 (VLA-4) acts as a receptor for fibronectin and VCAM1. VLA-4 is atypical because it is mostly restricted to lymphoid and myeloid cells, and indirect evidence had suggested that it might be involved in various cell-cell interactions. In addition, VLA-4 has been shown to mediate T and B lymphocyte attachment to the heparin II binding fragment of human plasma fibronectin (FN). This antibody is also reported to cross react with integrin alpha-4/beta-7 ($\alpha 4\beta 7$).

Application Notes: This antibody can be used for the immunoprecipitation of VLA-4 from cell lysates (PMID: 2430809). This antibody is also capable of detecting integrin alpha 4 expressed on the surface of Ramos cells by flow cytometry (PMID: 2430809; 1689216). This antibody can also block adherence of CTT leukocytes to recombinant soluble VCAM 1-coated plates in vitro (PMID: 7686922). This antibody can also block the interaction of VLA-4 with fibronectin. This antibody does not cause cell aggregation (PMID: 1709929). This antibody can bind soluble integrin alpha-4 in an ELISA. This antibody also inhibited the binding of PAF-stimulated eosinophils to MAdCAM-1 transfectants. This antibody also inhibited binding of unstimulated eosinophils to soluble recombinant human (rh)VCAM-1 and fibronectin (Fn) (PMID: 8911148).

Antibody First Published in: Sánchez-Madrid et al. VLA-3: a novel polypeptide association within the VLA molecular complex: cell distribution and biochemical characterization. Eur J Immunol. 1986 Nov;16(11):1343-9. [PMID:2430809](#)

Note on publication: Describes the generation of eight antibodies against VLA-4 antigen.

Product Form

Size: 1 mg Purified antibody in bulk size.

Purification: Protein A affinity purified

Supplied In: PBS only.

Storage Recommendation: Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommended this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.