



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-dioxin [DD1] Standard Size Ab03299-1.1

Isotype and Format: Mouse IgG1, Kappa

Clone Number: DD1

Alternative Name(s) of Target: PCDD; DLCs; PCDF; TCDD; DD-1

UniProt Accession Number of Target Protein:

Published Application(s): ELISA

Published Species Reactivity: Species independent

Immunogen: The antibody was generated by immunizing Biozzi mice with 1-N-(adipamino)-2,3,7-triCDD-linked carrier-protein BSA.

Specificity: The antibody recognizes tetrachloro- and pentachloro-dibenzodioxins and -dibenzofurans. It falls to bind either non-chlorinated, mono-, hexa-, or octa-chlorinated dibenzodioxins, nor does it recognize non-chlorinated, octachloro- or 1,2,3,4,8,9-hexachlorodibenzofurans. Dioxins are a group of chemical compounds that are persistent organic pollutants (POPs) in the environment.

Application Notes: The specificity of the antibody for 2,3,7,8-TCDD was confirmed by ELISA analysis. In order to evaluate the ability of the antibody to recognize various kinds of polychlorinated dibenzodioxins and dibenzofurans, a competition ELISA was developed. The antibody recognized 3,3',4,4'-PCB and the single-ring, chlorinated compounds, 2,4,5-trichlorophenol, mixed isomers of hexachlorocyclohexane and 2,5-dinitrobenzene. The antibody is suitable for the development of rapid, inexpensive screening assays for monitoring the presence of dioxin in biological, soil and other environmental samples (Stanker et al., 1987; PMID: 3629609). Further, the recombinant Fab antibody was generated; it displayed competitive inhibition with 2,3,7,8-tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD) in an indirect ELISA (Lee et al.; 1998).

Antibody First Published in: Stanker et al. Monoclonal antibodies for dioxin: antibody characterization and assay development Toxicology. 1987 Sep;45(3):229-43. [PMID:3629609](#)

Note on publication: The paper describes the generation and characterization of a set of 5 anti-dioxin monoclonal antibodies.

Product Form

Size: 200 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -

20°C.

Concentration: 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.