



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-RNA hairpin [BL3-6S97N] Standard Size Ab03300-1.1

This reformatted mouse antibody was made using the variable domain sequences of the original Mouse Fab format for improved compatibility with existing reagents assays and techniques.

Isotype and Format: Mouse IgG1, Kappa

Clone Number: BL3-6S97N

Alternative Name(s) of Target:

UniProt Accession Number of Target Protein:

Published Application(s): crystallization

Published Species Reactivity: Species independent

Immunogen: A library of Fabs was generated by rationally varying the composition of the residues in complementarity determining regions (CDRs) of Fab BL3-6. Subsequently, the Fab library was challenged in a phage display selection to recognize and bind the GAAACAC motif.

Specificity: The antibody binds to the RNA hairpins GAAACAC hairpin. An RNA hairpin is an essential secondary structure of RNA. It can guide RNA folding, determine interactions in a ribozyme, protect messenger RNA (mRNA) from degradation, serve as a recognition motif for RNA binding proteins or act as a substrate for enzymatic reactions.

Application Notes: The Fab was generated by directed mutagenesis from the parental Fab BL3-6. The S97N mutation in complementarity determining region L3 of the Fab improved the binding affinity compared to the parent Fab BL3-6 (Kd= 5 nM). The Fab fragment also bound to the affinity matured GAGACCC hairpin. The crystal structure of the Spinach RNA grafted with GAAACAC loop in complex with Fab BL3-6S97N was determined (Koirala et al., 2018; PMID: 29309709).

Antibody First Published in: Koirala et al. Affinity maturation of a portable Fab-RNA module for chaperone-assisted RNA crystallography *Nucleic Acids Res.* 2018 Mar 16;46(5):2624-2635. [PMID:29309709](#)

Note on publication: The original paper describes the use of Fab fragment as chaperone for RNA crystallography.

Product Form

Size: 200 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -

20°C.

Concentration: 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.