

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





Anti-NAPSIN A [21A5] Bulk Size Ab03303-23.0-BT

This chimeric rabbit antibody was made using the variable domain sequences of the original Mouse IgG2B format for improved compatibility with existing reagents assays and techniques.

Isotype and Format: Rabbit IgG, Kappa

Clone Number: 21A5

Alternative Name(s) of Target: Napsin-A; Aspartyl protease 4; ASP4; Asp 4; Napsin-1; TA01/TA02;

CGMCC NO 15487

UniProt Accession Number of Target Protein: O96009

Published Application(s): WB, ELISA, IHC Published Species Reactivity: Human

Immunogen: The original antibody was generated by immunizing mice with NAPSIN A.

Specificity: The antibody is specific for Napsin A and it does not cross react with Cathepsin D and

Cathepsin E.

Application Notes: The antibody specifically detected NAPSIN A in Western blot analysis. The antibody 21A5 and the commercial antibody TMU-AD02 were used to stain lung adenocarcinoma. Results showed that the staining intensity of the antibody 21A5 is higher than the commercial antibody, indicating that the antibody is specific to the tumor tissue, and the sensitivity and affinity are higher than the commercial antibody (CN108467433B).

Antibody First Published in: PMID:

Note on publication:

Product Form

Size: 1 mg Purified antibody in bulk size. **Purification:** Protein A affinity purified

Supplied In: PBS only.

Storage Recommendation: Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommed this antibody be handled under sterile conditions. For longer

storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

earch use only. It	is not intended for u	se in therapeutic or	diagnostic
lather of Walana lather		at/auti namain a 21a	F/Ab02202
			earch use only. It is not intended for use in therapeutic or