



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-VISTA [11A4] Standard Size Ab03306-2.3

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

**Isotype and Format:** Mouse IgG2a, [Fc Silent™](#), Kappa

**Clone Number:** 11A4

**Alternative Name(s) of Target:** PD-1H; V-Type Immunoglin Domain-Containing Suppressor of T-Cell activation; Platelet receptor Gi24; Stress-induced secreted protein-1; Sisp-1; V-set domain-containing immunoregulatory receptor; V-set immunoregulatory receptor; D5L5T; CGMCCNO 20766

**UniProt Accession Number of Target Protein:** Q9H7M9

**Published Application(s):** WB, ELISA, IHC

**Published Species Reactivity:** Human

**Immunogen:** The original antibody was generated by immunizing a mouse with the recombinant VISTA protein.

**Specificity:** The antibody is specific for VISTA protein. VISTA is an immunoregulatory receptor which inhibits the T-cell response, which may promote differentiation of embryonic stem cells, by inhibiting BMP4 signaling.

**Application Notes:** The antibody 11A4 and the commercial antibody D5L5T were used to stain epithelial vascular sarcoma, placental trophoblasts and urethral carcinoma in immunohistochemistry. Results showed the antibody specificity is equivalent to the commercial antibody. Further, the staining intensity of the antibody 11A4 was higher than the commercial antibody (CN112940125A).

**Antibody First Published in:** [PMID:](#)

**Note on publication:**

## Product Form

**Size:** 200 µg Purified antibody.

**Purification:** Protein A affinity purified

**Supplied In:** PBS with 0.02% Proclin 300.

**Storage Recommendation:** Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.