



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-CA125 [20E3] Standard Size Ab03309-3.0

Isotype and Format: Mouse IgG2b, Kappa

Clone Number: 20E3

Alternative Name(s) of Target: TA347; Mucin-16; MUC-16; Ovarian cancer-related tumor marker CA125; CA-125; Ovarian carcinoma antigen CA125; CGMCC NO 20773

UniProt Accession Number of Target Protein: Q8WXI7

Published Application(s): WB, ELISA, IHC

Published Species Reactivity: Human

Immunogen: The original antibody was generated by immunizing mice with recombinant protein CA125.

Specificity: The original antibody is specific for CA125. CA125 is thought to provide a protective, lubricating barrier against particles and infectious agents at mucosal surfaces. This antigen that is the basis for a widely used serum assay for the monitoring of patients with ovarian epithelial cancer.

Application Notes: The antibody 20E3 and the commercial antibody TA347 were used to stain ovarian slurry adenocarcinoma and ovarian mucous adenocarcinoma in immunohistochemistry. Results showed the antibody specificity is comparable to the commercial antibody. Further, the staining intensity of the antibody 20E3 was higher than the commercial antibody (CN113061186A).

Antibody First Published in: [PMID:](#)

Note on publication:

Product Form

Size: 200 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.