



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-CD45 [BC8] Standard Size Ab03391-1.1

Isotype and Format: Mouse IgG1, Kappa

Clone Number: BC8

Alternative Name(s) of Target: Receptor-type tyrosine-protein phosphatase C; L-CA; Leukocyte common antigen; T200; Lymphocyte antigen 5

UniProt Accession Number of Target Protein: P08575

Published Application(s): in vivo, therapeutic, FC

Published Species Reactivity: Human

Immunogen:

Specificity: The antibody is specific for CD45, binding to all CD45 isoforms. CD45 is a 180-240kD glycoprotein member of the protein tyrosine phosphatase (PTP) family known for its involvement in regulating a variety of cellular processes, including cell growth, differentiation, mitotic cycle, and oncogenic transformation.

Application Notes: The antibody was used to target human Ramos lymphoma xenografts in athymic mice. The antibody was able to deliver radioiodine to tumors, causing minimal toxicity to normal organs. Further, therapy experiments demonstrated that 90Y-(DOTA)-biotin with BC8-SA cured the mice in a dose dependent manner, and with complete remission of the antibody (Pagel et al., 2003; PMID: 12446461). In vivo studies on Macaca nemestrina revealed the 131I-labeled IgG1 antibody could deliver radiation with relative specificity to lymphohematopoietic tissues. The antibody displayed an association constant (avidity) of 6×10^7 (L/mol) for macaque cells and 5×10^8 (L/mol) for human cells (Matthews et al., 1991; PMID: 1832994). Further, 211At labeled BC8-B10 is of interest for clinical trials involving allogeneic hematopoietic transplantation in the treatment of advanced hematological malignancies (Li et al., 2018; PMID: 30335787). 125I-BC8 was stably retained on the surface of lymphoma cells without appreciable endocytosis or shedding (Press et al., 1994; PMID: 8118040). 90Y-BC8-DOTA in combination with Fludarabine and TBI entered phase I Trial as conditioning for allogeneic peripheral blood stem cell transplant (Tuazon et al., 2017). The humanized version of the antibody was constructed. This antibody was used for detection of cytotoxic cells by flow cytometry. The antibody was radiolabeled with actinium-225 (225Ac) or lutetium-177 (177Lu), and used as therapeutic for the treatment of malignant and non-malignant hematological diseases and disorders (WO2021055638).

Antibody First Published in: Matthews et al. Radiolabeled anti-CD45 monoclonal antibodies target lymphohematopoietic tissue in the macaque Blood. 1991 Oct 1;78(7):1864-74. [PMID:1832994](https://pubmed.ncbi.nlm.nih.gov/1832994/)

Note on publication: The original paper describes the reactivity of the 131I-labeled antibody with the CD45 antigen in Macaca nemestrina.

Product Form

Size: 200 µg Purified antibody.

Purification:

Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.