



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-CCL20 [AB1] Standard Size Ab03417-10.29

This is a Fab fragment with His tag.

Isotype and Format: Human Fab fragment, His-Tagged, Kappa

Clone Number: AB1

Alternative Name(s) of Target: C-C motif chemokine 20; Beta-chemokine exodus-1; CC chemokine LARC; CC chemokine ST38; Liver and activation-regulated chemokine; Macrophage inflammatory protein 3 alpha; MIP-3-alpha; Small-inducible cytokine A20

UniProt Accession Number of Target Protein: O89093

Published Application(s): in vitro, SPR, ELISA

Published Species Reactivity: Mouse

Immunogen:

Specificity: The antibody is specific for murine CCL20. The antibody does not recognise human CCL20.

Application Notes: The specificity of the original format of the antibody was confirmed by ELISA analysis. Capture ELISA was performed and the 1:1 binding kinetics and affinities were measured by surface plasmon resonance ($K_d = 2.3$ nM). CCR6 Chinese hamster ovary (CHO)-K1 β -arrestin G protein-coupled receptor functional assay was performed to measure the inhibition of the antibody ($IC_{50} = 30.7$).

Antibody First Published in: Cannon et al. Experimentally guided computational antibody affinity maturation with de novo docking, modelling and rational design PLoS Comput Biol. 2019 May; 15(5): e1006980. [PMID:31042706](#)

Note on publication: The original paper describes the generation and computational affinity maturation of the antibody.

Product Form

Size: 100 µg Purified antibody.

Purification: Purified by Immobilized Metal Affinity Chromatography

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.