



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-TIM-3 [8E11] Standard Size Ab03432-10.0

This chimeric human antibody was made using the variable domain sequences of the original Mouse IgG1 format for improved compatibility with existing reagents assays and techniques.

Isotype and Format: Human IgG1, Kappa

Clone Number: 8E11

Alternative Name(s) of Target: CD366; HAVCR2; HAVcr-2; TIM3; TIMD-3; TIMD3; Hepatitis A virus cellular receptor 2; T-cell immunoglobulin and mucin domain-containing protein 3; T-cell immunoglobulin mucin receptor 3; T-cell membrane protein 3

UniProt Accession Number of Target Protein: Q8TDQ0

Published Application(s): ELISA, FC

Published Species Reactivity: Human

Immunogen: The original antibody was generated by immunizing 6-8 weeks old female BALB/c mice with recombinant human TIM-3 protein.

Specificity: This antibody binds human TIM-3. Hepatitis A virus cellular receptor 2 (HAVCR2), also known as T-cell immunoglobulin and mucin-domain containing-3 (TIM-3), is a protein expressed on the cell surface of IFN γ producing CD4⁺ Th1 and CD8⁺ Tc1 cells. This protein is also expressed on the surface of Th17 cells, regulatory T-cells and innate immune cells like dendritic cells, NK cells and monocytes. It is a cell surface receptor implicated in modulating innate and adaptive immune responses.

Application Notes: This antibody can be used in the detection of human TIM-3 using ELISA. The binding characterization of this antibody for human TIM-3 was done using indirect immunofluorescence labelling and flow cytometry (CN106632675).

Antibody First Published in: [PMID:](#)

Note on publication:

Product Form

Size: 200 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration:

1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.