



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-spike protein [TZZ14] Standard Size Ab03446-23.0

This full-length chimeric rabbit antibody was made using the variable domain sequences of the original scFv format for improved compatibility with existing reagents assays and techniques.

**Isotype and Format:** Rabbit IgG, Lambda

**Clone Number:** TZZ14

**Alternative Name(s) of Target:** TGEV; Spike glycoprotein; S glycoprotein; E2; Peplomer protein

**UniProt Accession Number of Target Protein:** P07946

**Published Application(s):** in vitro, WB, ELISA, IF

**Published Species Reactivity:** Transmissible gastroenteritis virus

**Immunogen:** A scFv antibody phage display library was constructed from peripheral blood lymphocytes of piglets infected with TGEV. The library was screened with four rounds of biopanning using purified TGEV antigen, and scFv antibodies that bound to TGEV were obtained.

**Specificity:** The antibody is specific for the S protein of TGEV. The antibody does not show any cross-reactivity with other available porcine pathogens, such as PEDV, PRRSV, PCV2.

**Application Notes:** To determine whether scFv antibody neutralized TGEV infection, a PRN assay was performed. The results showed that the antibody significantly inhibited TGEV infection in a dose-dependent manner and completely neutralized virus replication at a dilution of 1:40. Therefore the antibody showed a neutralization effect on TGEV infection. The specificity of the scFv format of the antibody was confirmed by ELISA analysis. The antibody detected the S protein by western blot analysis. IFA results showed that the antibody bound to ST TGEV-infected cells and to TGEV S protein-transfected cells (Zhang et al., 2019; PMID: 30729994).

**Antibody First Published in:** Zhang et al. Construction and characterization of porcine single-chain fragment variable antibodies that neutralize transmissible gastroenteritis virus in vitro Arch Virol. 2019 Apr;164(4):983-994. [PMID:30729994](#)

**Note on publication:** The original paper describes the generation of a panel of antibodies against TGEV.

### Product Form

**Size:** 200 µg Purified antibody.

**Purification:** Protein A affinity purified

**Supplied In:** PBS with 0.02% Proclin 300.

**Storage Recommendation:** Store at 4°C for up to 3 months. For longer storage, aliquot and store at -

20°C.

**Concentration:** 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.