



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-beta 1 integrin [AIIB2] Standard Size Ab03450-6.1

**Isotype and Format:** Rat IgG1, Kappa

**Clone Number:** AIIB2

**Alternative Name(s) of Target:** integrin beta 1; Integrin beta-1-binding protein 1; Integrin cytoplasmic domain-associated protein 1 (ICAP-1)

**UniProt Accession Number of Target Protein:** O14713

**Published Application(s):** FACS, in vivo, inhibition, IP, FC

**Published Species Reactivity:** Human, Mouse

**Immunogen:** The original antibody was isolated by immunizing a Lewis rat with JAR choriocarcinoma cells.

**Specificity:** The antibody specifically binds  $\beta 1$  integrin extracellular domain.

**Application Notes:** The antibody immunoprecipitated the integrin subunits (Hall et al., 1990). This antibody was used for detection of  $\beta 1$  integrin expressed on CHO cells by flow cytometry (Takada et al., 1993; PMID: 7688727). The original format of the antibody or its F(ab')<sub>2</sub> fragments applied to single cells were capable of down-modulating  $\beta 1$  integrin signaling pathways (Wang et al., 1998; PMID: 9843973 and Weaver et al., 1997; PMID: 9105051). The antibody was used in immunofluorescence characterization of integrins in the HMT-3522 cells (Weaver et al., 1997; PMID: 9105051). The antibody inhibited tumor cell growth in several breast cancer cell lines (T4-2, MDA-MB-231, BT474, SKBR3, and MCF-7) and one nonmalignant cell line (S-1). Further,  $\beta 1$  integrin inhibition resulted in a significant loss of cancer cells, associated with a decrease in proliferation and increase in apoptosis, and a global change in the composition of residual colonies (Park et al., 2010; PMID: 16452209). The antibody was found to reduce the frequency of solid tumor stem cells. The antibody inhibited the growth of colon tumors and reduced the percentage of CD44<sup>+</sup> cells. Tumors treated in mice showed a decrease when treated with the antibody. The humanized version of the antibody was constructed, showing potential for therapeutic uses (WO2009009114A3).

**Antibody First Published in:** Hall et al. The alpha 1/beta 1 and alpha 6/beta 1 integrin heterodimers mediate cell attachment to distinct sites on laminin. J Cell Biol (1990) 110 (6): 2175-2184. [PMID:](#)

**Note on publication:** The original paper describes the generation and characterization of the antibody.

### Product Form

**Size:** 200 µg Purified antibody.

**Purification:** Protein A affinity purified

**Supplied In:**

PBS with 0.02% Proclin 300.

**Storage Recommendation:** Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.