



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-LAG-3 [Ab2317] Standard Size Ab03454-10.3

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

This chimeric human antibody was made using the variable domain sequences of the original Mouse IgG4 format for improved compatibility with existing reagents assays and techniques.

Isotype and Format: Human IgG1, Fc Silent™, Kappa

Clone Number: Ab2317

Alternative Name(s) of Target: CD223; LAG3; FDC; Lymphocyte activation gene 3 protein

UniProt Accession Number of Target Protein: P18627

Published Application(s): Blocking, in vivo, SPR

Published Species Reactivity: Human

Immunogen:

Specificity: The antibody is specific for human LAG-3. The antibody does not detect cynomolgus LAG-3 or murine LAG-3.

Application Notes: The antibody is a humanized version of mab23. The antibody had an activity EC50 of 0.34 µg/ml for activating human T cells to release IL-2. Further, the antibody activates human DC cell to stimulate human T cell activity (EC50 of 0.21nM), as shown by MLR assay. The humanized antibody efficacy in vivo was evaluated of the present invention. Tumors treated in mice showed an inhibition in tumor growth when treated with a combination of the antibody and PD-1 antibody. The binding affinity of the antibody to hLAG-3 was measured by surface plasmon resonance (Kd= 0.2 nM). The antibody showed a good blocking activity. The antibody was used in combination with an anti PD-1 antibody (Nivo or Pem) into a bispecific antibody (CN112079925).

Antibody First Published in: [PMID:](#)

Note on publication:

Product Form

Size: 200 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -

20°C.

Concentration: 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.