



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-Digoxigenin A [Clone 3] Standard Size Ab03496-23.0

This full-length chimeric rabbit antibody was made using the variable domain sequences of the original Human scFv format for improved compatibility with existing reagents assays and techniques.

**Isotype and Format:** Rabbit IgG, Lambda

**Clone Number:** Clone 3

**Alternative Name(s) of Target:** Digoxigenin; DigA; DOG; ChEBI: 42098; CAS: 1672-46-4

**UniProt Accession Number of Target Protein:**

**Published Application(s):** ELISA

**Published Species Reactivity:** Species independent

**Immunogen:** The original antibody was isolated from a IgM-derived scFv phage antibody library created from the peripheral blood lymphocytes of 20 non-immunized donors. The specific clone was isolated by panning the library against digoxigenin.

**Specificity:** This antibody is specific for digoxigenin A. Digoxigenin (DIG) is a hydroxy steroid that consists of 5beta-cardanolide, found exclusively in the flowers and leaves of the plants *Digitalis purpurea*, *Digitalis orientalis* and *Digitalis lanata*. It is a hapten, a small molecule with high antigenicity, that is used in many molecular biology applications.

**Application Notes:** The binding specificity of this antibody for digoxigenin was checked using ELISA. This antibody did not bind digoxigenin coupled by a methylcarbonyl (Dig-Met) or succinyl (Dig-Suc) type linker to BSA (PMID: 9305722).

**Antibody First Published in:** Dörsam et al. Antibodies to steroids from a small human naive IgM library. *FEBS Lett.* 1997 Sep 1;414(1):7-13. [PMID:9305722](#)

**Note on publication:** Describes the generation of antibodies against steroids from a human naive IgM library.

### Product Form

**Size:** 100 µg Purified antibody.

**Purification:** Protein A affinity purified

**Supplied In:** PBS with 0.02% Proclin 300.

**Storage Recommendation:** Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

**Concentration:**

1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.