



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-F protein [2E3] Standard Size Ab03523-23.0

This chimeric rabbit antibody was made using the variable domain sequences of the original Human Fab format for improved compatibility with existing reagents assays and techniques.

**Isotype and Format:** Rabbit IgG, Lambda

**Clone Number:** 2E3

**Alternative Name(s) of Target:** fusion glycoprotein; Fusion glycoprotein F0

**UniProt Accession Number of Target Protein:** P03420

**Published Application(s):** neutralization, SPR, ELISA

**Published Species Reactivity:** RSV

**Immunogen:** A synthetic, fully human antibody library was used for panning against RSV prefusion and post fusion F proteins. The original antibody against RSV F protein was discovered following phage library panning and characterized.

**Specificity:** The original antibody is specific for prefusion F protein. The antibody binds the protein through a conformational epitope spanning across three distinct sections of the RSV F protein: residues 419–434, 443–448, and 459–467. F-protein plays a pivotal role in the pathogenesis of RSV by mediating the fusion between the viral and the host cell membrane. F protein exists in two distinct conformations: the metastable prefusion conformation and the stable post fusion conformation.

**Application Notes:** The specificity of the Fab and IgG1 format of the antibody was confirmed by ELISA analysis (EC50 value for IgG1 at 9.6 ng/mL). Surface plasmon resonance based studies demonstrated that the antibody bound exclusively to the prefusion conformation of the RSV F protein with an affinity  $K_d = 13$  nM for monovalent Fab. The bivalent Fab exhibited neutralizing activities against both RSV A (Long) and B (Washington) strains with IC50 at 53.4 ng/mL and 515 ng/mL, respectively. The human IgG1 format showed an improved neutralizing activity against the RSV A strain (IC50 at 11.4 ng/mL) and comparable against the RSV B (Washington) strain (IC50 at 520 ng/mL).

**Antibody First Published in:** Chen et al. Discovery and Characterization of Phage Display-Derived Human Monoclonal Antibodies against RSV F Glycoprotein PLoS One. 2016; 11(6): e0156798.

[PMID:27258388](#)

**Note on publication:** The paper describes the generation and characterization of the antibody.

## Product Form

**Size:**

100 µg Purified antibody.

**Purification:** Protein A affinity purified

**Supplied In:** PBS with 0.02% Proclin 300.

**Storage Recommendation:** Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.