



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-3-5 ring polycyclic aromatic hydrocarbons (PAHs) [2G8] Ab03546-2.0-BT

**Isotype and Format:** Mouse IgG2a, Kappa

**Clone Number:** 2G8

**Alternative Name(s) of Target:** unsubstituted PAH; 2-methylphenanthrene; 9,10-dimethylanthracene; 7,12 dimethylbenz(a)anthracene; 4-methyl dibenzothiophene; Benzo(a)pyrene; Chrysene; Pyrene; Phenanthrene; Anthracene

**UniProt Accession Number of Target Protein:**

**Published Application(s):** ELISA

**Published Species Reactivity:** Species independent

**Immunogen:** The original antibody was generated by immunizing Balb/c mice were with 1-pyrene butyric acid-KLH.

**Specificity:** The antibody shows general selectivity and high sensitivity to a variety of 3-5 ring PAH, but it shows a low affinity for 2-ring PAHs. Polycyclic aromatic hydrocarbons (PAHs), a group of organic compounds composed of two or more blended aromatic rings, are an important class of environmental pollutants

**Application Notes:** The specificity of the original format of the antibody was confirmed by ELISA analysis. The antibody could inhibit unsubstituted and methylated PAHs by indirect competitive ELISA. IC50 values for unsubstituted PAHs ranged from 1.68 µg/L to 9.44 µg/L, while IC50 values against methylated PAHs (2-methylphenanthrene, 9,10-dimethylanthracene, 7,12 dimethylbenz(a)anthracene, 4-methyl dibenzothiophene) were ranging from 1.92 µg/L to 31 µg/L. The antibody was employed in the KinExA Inline Biosensor system for quantifying 3-5 ring PAHs in aqueous environmental samples (detection limit 0.2 µg/L) (Li et al., 2016; PMID: 26925369).

**Antibody First Published in:** Li et al. A highly sensitive monoclonal antibody based biosensor for quantifying 3-5 ring polycyclic aromatic hydrocarbons (PAHs) in aqueous environmental samples. Sens Biosensing Res. 2016 Mar 1;7:115-120. [PMID:26925369](#)

**Note on publication:** The original paper describes the generation and characterization of the antibody.

### Product Form

**Size:** 1 mg Purified antibody in bulk size.

**Purification:** Protein A affinity purified

**Supplied In:**

PBS only.

**Storage Recommendation:** Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommended this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.