



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-IL-1B [10G11] Standard Size Ab03560-7.4

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

This chimeric rat antibody was made using the variable domain sequences of the original Mouse IgG1 format, for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Rat IgG2a, Fc Silent™, Kappa

Clone Number: 10G11

Alternative Name(s) of Target: IL1B; IL-1β; Interleukin-1 beta; IL-1 beta

UniProt Accession Number of Target Protein: P10749

Published Application(s): functional assay, ELISA

Published Species Reactivity: Mouse

Immunogen: The original antibody was generated by immunizing IL-1α/β double KO mice with mouse IL-1 beta.

Specificity: This antibody binds mouse Interleukin-1 beta, which is a potent pro-inflammatory cytokine. Initially discovered as the major endogenous pyrogen, induces prostaglandin synthesis, neutrophil influx and activation, T-cell activation and cytokine production, B-cell activation and antibody production, and fibroblast proliferation and collagen production. It promotes Th17 differentiation of T-cells and synergizes with IL12/interleukin-12 to induce IFNG synthesis from T-helper 1 (Th1) cells. It also plays a role in angiogenesis by inducing VEGF production synergistically with TNF and IL6.

Application Notes: The original mouse IgG antibody binds mouse IL-1B with a binding affinity of $K_d = 0.23$ nM. The binding characterization of this antibody was done using ELISA. In vitro antibody potency was determined by its ability to inhibit IL-8 production by MRC-5 cells. This antibody was able to inhibit IL-8 production by MRC-5 cells with an IC_{50} of $3.70E-10$ M. This antibody was used in combination with 9H10 (anti- mouse IL-1A) antibody for the generation of anti-mouse IL-1α/β DVD-Ig molecule (US7612181).

Antibody First Published in: [PMID:](#)

Note on publication:

Product Form

Size: 100 µg Purified antibody.

Purification:

Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.