



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-IL-1B [6B12.4F6] Standard Size Ab03561-10.3

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

This chimeric human antibody was made using the variable domain sequences of the original Mouse IgG1 format, for improved compatibility with existing reagents, assays and techniques.

**Isotype and Format:** Human IgG1, Fc Silent™, Kappa

**Clone Number:** 6B12.4F6

**Alternative Name(s) of Target:** IL1B; IL-1β; 1L1F2; Interleukin-1 beta; IL-1 beta; Catabolin

**UniProt Accession Number of Target Protein:** P01584

**Published Application(s):** functional assay, ELISA

**Published Species Reactivity:** Human

**Immunogen:** The original antibody was generated by immunizing mice with recombinant human IL-1 beta.

**Specificity:** This antibody binds human Interleukin-1 beta, which is a potent pro-inflammatory cytokine. Initially discovered as the major endogenous pyrogen, induces prostaglandin synthesis, neutrophil influx and activation, T-cell activation and cytokine production, B-cell activation and antibody production, and fibroblast proliferation and collagen production. It promotes Th17 differentiation of T-cells and synergizes with IL12/interleukin-12 to induce IFNG synthesis from T-helper 1 (Th1) cells. It also plays a role in angiogenesis by inducing VEGF production synergistically with TNF and IL6.

**Application Notes:** The original mouse IgG antibody binds human IL-1B with a binding affinity of  $K_d = 0.55$  nM. The binding characterization of this antibody was done using ELISA. In vitro antibody potency was determined by its ability to inhibit IL-8 production by MRC-5 cells. This antibody was able to inhibit IL-8 production by MRC-5 cells with an  $IC_{50}$  of  $3.20E-10$  M. This antibody was used in combination with 6H3.1A4 (anti-IL-1α) antibody for the generation of anti-human IL-1α/β DVD-Ig molecule that had therapeutic potential (PMID: 20068402).

**Antibody First Published in:** Wu et al. Molecular construction and optimization of anti-human IL-1α/β dual variable domain immunoglobulin (DVD-Ig™) molecules. MAbs. 2009 Jul-Aug; 1(4): 339-347.

[PMID:20068402](#)

**Note on publication:** Describes the generation of anti-human IL-1α/β DVD-Ig™ molecules using several pairs of monoclonal antibodies with therapeutic potential.

## Product Form

**Size:** 100 µg Purified antibody.

**Purification:** Protein A affinity purified

**Supplied In:** PBS with 0.02% Proclin 300.

**Storage Recommendation:** Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.