



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-VASA protein [1E9] Standard Size Ab03563-23.0

This chimeric rabbit antibody was made using the variable domain sequences of the original Human IgG1 format, for improved compatibility with existing reagents, assays and techniques.

**Isotype and Format:** Rabbit IgG, Lambda

**Clone Number:** 1E9

**Alternative Name(s) of Target:** DDX4; VASA; VASA-1; Probable ATP-dependent RNA helicase DDX4; DEAD box protein 4; Vasa homolog; 1E9/VH1E3

**UniProt Accession Number of Target Protein:** Q9NQI0

**Published Application(s):** ELISA

**Published Species Reactivity:** Human

**Immunogen:** The original antibody was isolated from an scFv phage display library generated from the pool of normal human B cells from 40 blood donors. The particular antibody was isolated by panning the library against human VASA-1 peptide (amino acids 712-721). Later on the scFv antibody was converted to an IgG.

**Specificity:** This antibody is specific for the C-terminal domain of human VASA protein. The binding epitope comprises amino acids 712-721 (SQAPNPVDDE) of the human VASA protein. VASA homolog is also known as ATP-dependent RNA helicase DDX4, which is required during spermatogenesis. VASA protein is present in fetal and adult gonadal germ cells in both males and females and is most abundant in spermatocytes and mature oocytes.

**Application Notes:** The binding characterization of this antibody to human VASA protein and VASA peptides (residues 700-724; residues 712-721; residues 700-709) was done using ELISA. It was found that this antibody was specific for VASA peptide with residues 712-721. The IgG antibody binds human VASA protein in a dose dependent manner with an EC50 of 0.08919 nM (US20180155445).

**Antibody First Published in:** [PMID:](#)

**Note on publication:**

### Product Form

**Size:** 100 µg Purified antibody.

**Purification:** Protein A affinity purified

**Supplied In:** PBS with 0.02% Proclin 300.

**Storage Recommendation:** Store at 4°C for up to 3 months. For longer storage, aliquot and store at -

20°C.

**Concentration:** 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.