



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-2.4[2.8]2.4-linked Kdo tetrasaccharide [S25-2] Ab03580-23.0-BT

This chimeric rabbit antibody was made using the variable domain sequences of the original Mouse IgG1 format, for improved compatibility with existing reagents, assays and techniques.

**Isotype and Format:** Rabbit IgG, Kappa

**Clone Number:** S25-2

**Alternative Name(s) of Target:**

**UniProt Accession Number of Target Protein:**

**Published Application(s):** SPR, WB, ELISA, IF

**Published Species Reactivity:** Species independent

**Immunogen:** This antibody was generated by immunizing a BALB/c mouse with KD03-GlcNAc-BSA.

**Specificity:** This antibody is specific for 2.4[2.8]2.4-linked Kdo tetrasaccharide. Which is a partial structure of chlamydial lipopolysaccharide (LPS).

**Application Notes:** An enzyme immunoassay was performed on LPS-BSA complexes and synthetic BSA-glycoconjugates using the mouse version of this antibody it showed reactivity to r595-207 LPS and to KD03-GlcNAc-BSA. Furthermore this antibody was used for immunofluorescence on L929 monolayers infected with *C. trachomatis* serotype L2 or *C. psittaci* 6BC at a dose resulting in >80% infected cells within 24 to 36 h, the antibody gave a positive result for both infections. Additionally western blots with LPS r595-207 and R595 as the antigen were performed using this antibody, it was positive for r595-207 and negative for R595 (Fu et al, 1992; pmid:1372290). An ELISA was performed on chlamydial LPS fragments using the mouse version of this antibody it bound most strongly to trisaccharides and tetrasaccharides (Evans et al, 2011; pmid:21543444). The binding affinity of the mouse version of this antibody was determined using SPR on  $\alpha$ -Kdo-(2→8)- $\alpha$ -Kdo-(2→4)- $\alpha$ -Kdo, it bound with a  $K_d$  of 1,1 $\mu$ M (Müller-Loennies et al, 2000; pmid:10642603). SPR was performed on oligosaccharides using the mouse version of this antibody, for binding see Brooks et al, 2008. Furthermore ELISA was performed on neoglycoconjugates using this antibody, for reactivity see Brooks et al, 2008 (Brooks et al, 2008; pmid:18272175).

**Antibody First Published in:** Fu et al. A synthetic glycoconjugate representing the genus-specific epitope of chlamydial lipopolysaccharide exhibits the same specificity as its natural counterpart. *Infect Immun.* 1992 Apr;60(4):1314-21. [PMID:1372290](#)

**Note on publication:** The tetrasaccharide 3-deoxy-a-D-manno-2-octulosonic acid (ac-KDO)(2--8)-ce-KDO(2-

>4)-ce-KDO(2-->6)- IGIcNAc, a partial structure of chlamydial lipopolysaccharide (LPS) representing a genus-specific epitope, was synthesized and covalently linked to bovine serum albumin, resulting in an artificial glycoconjugate antigen. Mice were immunized with the glycoconjugate to prepare chlamydia-specific monoclonal antibodies.

## Product Form

**Size:** 1 mg Purified antibody in bulk size.

**Purification:** Protein A affinity purified

**Supplied In:** PBS only.

**Storage Recommendation:** Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommended this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.