

# Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

#### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

#### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com



Anti-Pep27 [F9] Standard Size, 50 µg, Ab03600-30.11 View online

## Anti-Pep27 [F9] Standard Size Ab03600-30.11

This is an scFv fragment with a His tag.

Isotype and Format: scFv fragment (His), ScFv
Clone Number: F9
Alternative Name(s) of Target: Pep27 protein
UniProt Accession Number of Target Protein: Q8DQS1
Published Application(s): WB, ELISA
Published Species Reactivity: Streptococcus pneumoniae
Immunogen: To generate this antibody a synthetic human scFv library encoding HA-tagged scFv clones was used for biopanning against pep27.
Specificity: This antibody is specific for the pep27 protein of Streptococcus pneumoniae. Specifically the epitope Y24, R26 and K2. Pep27 is a secreted peptide which is the signal sensed by VncR/S.

**Application Notes:** An western blot was performed on proteins from S.aureus using the scFv version of this antibody, it showed that the antibody was specific for the pep27 protein. Furthermore an ELISA was performed on His6-MBP-Pep27, it showed specificity of this antibody to pep27 (Kim et al, 2018; pmid: 29753735).

**Antibody First Published in:** Kim et al. Molecular characterization of single-chain antibody variable fragments (scFv) specific to Pep27 from Streptococcus pneumoniae. Biochem Biophys Res Commun. 2018 Jun 27;501(3):718-723. PMID:29753735

**Note on publication:** Two single-chain antibody variable fragments (scFv) were screened using a phage display from a large human synthetic scFv library to select clones E2 and F9. Dissociation constants (Kd) of E2 and F9 were 1.1 mM and 0.50 mM, respectively. E2 and F9 did not cross-react with other pneumococcal and unrelated proteins.

### **Product Form**

**Size:** 50 µg Purified antibody.

Purification: Purified by Immobilized Metal Affinity Chromatography

Supplied In: PBS with 0.02% Proclin 300.

**Storage Recommendation:** Store at 4°C for up to 3 months. For longer storage, aliquot and store at - 20°C.

**Concentration:** 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic

© 2023 Absolute Antibody Wilton, UK. procedures for humans or animals.