

# Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

#### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

#### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com



Anti-VLP of CPV-VP2 [scFv 96] Standard Size, 100 µg, Ab03609-201.4 View online

## Anti-VLP of CPV-VP2 [scFv 96] Standard Size Ab03609-201.4

This antibody was created using our proprietary Fc Silent<sup>™</sup> engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

This chimeric dog antibody was made using the variable domain sequences of the original Chicken scFv format for improved compatibility with existing reagents assays and techniques.

Isotype and Format: Dog IgG2 (IgG-B), Fc Silent<sup>™</sup>, Lambda Clone Number: scFv 96 Alternative Name(s) of Target: Coat protein VP2 UniProt Accession Number of Target Protein: P61826 Published Application(s): neutralization, ELISA Published Species Reactivity: canine parvovirus Immunogen: This antibody was raised by first immunizing twelve-week old white Leghorn hens

intramuscularly with CPV-VLP. A library was then constructed from these chickens and panned against CPV-VLP.

**Specificity:** This antibody is specific for the VP2 for the Canine Parvovirus. VP2 is a capsid protein that selfassembles to form an icosahedral capsid with a T=1 symmetry, about 22 nm in diameter, and consisting of 60 copies of two size variants of the capsid proteins, VP1 and VP2, which differ by the presence of an Nterminal extension in the minor protein VP1. The Canine Parvovirus is a disease mainly affecting dogs with a 91% mortality rate.

**Application Notes:** To analyse the sensitivity of the scFv version of this antibody an ELISA was performed on CPV-VP2. Furthermore, the ability of this antibody to prevent a CPV infection was determined, it showed a decrease of 30% over 72 hours (Ge et al, 2020; pmid:32883344).

**Antibody First Published in:** Ge et al. Canine Parvovirus is diagnosed and neutralized by chicken IgY-scFv generated against the virus capsid protein. Vet Res. 2020; 51: 110. PMID:32883344

**Note on publication:** Canine parvovirus (CPV) can cause acute and highly contagious bloody enteritis in dog. To obtain antibodies against CPV, hens were immunized with virus-like particles (VLP) of CPV-VP2. The IgY single chain fragment variables (scFv) were generated by T7 phage display system and expressed in E. coli system.

### Product Form

**Size:** 100 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

**Storage Recommendation:** Store at 4°C for up to 3 months. For longer storage, aliquot and store at - 20°C.

**Concentration:** 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.