



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-c-erbB2 [520C9] Standard Size Ab03624-23.0

This chimeric rabbit antibody was made using the variable domain sequences of the original Mouse IgG1 format for improved compatibility with existing reagents assays and techniques.

**Isotype and Format:** Rabbit IgG, Kappa

**Clone Number:** 520C9

**Alternative Name(s) of Target:** Breast cancer cells; CD340; Receptor tyrosine-protein kinase erbB-2; Neu; HER2; MLN19; Metastatic lymph node gene 19 protein; p185erbB2

**UniProt Accession Number of Target Protein:** P04626

**Published Application(s):** in vivo, IP, therapeutic, IF, IHC

**Published Species Reactivity:** Human

**Immunogen:** The original antibody was generated by immunizing BALB/c mice with breast cancer cell lines.

**Specificity:** The antibody binds an approximately 200 kD protein found in cancerous breast tissue which has been identified as c-erbB-2.

**Application Notes:** The antibody stained breast tumors and breast cancer lines (Ring et al., 1989; PMID: 2470501). The antibody was employed in immunocytochemical assay to identify breast tumor cells (Franklin et al., 1996; PMID: 8932871). Fab fragment of the antibody was generated and tested for in vivo efficacy in the MX-1 human breast tumor cell, where it showed a significant decrease in tumor volume (US5169774A). Immunoprecipitation tests on the antibody indicated that it bound to a monomeric c.a. 210,000 Da protein found in cancerous breast tissue with high association constant (US6054561A). The antibody was further evaluated for range breast cancer recognition by cell line immunofluorescence assays. The antibody showed positive results on SKBr3, BT483, CAMA1 (US5629197A). The antibody was employed in bi-specific and tri-specific antibody development to detect c-erbB2 expression and breast cancer treatment (Press et al. 2005; PMID: 16166438). Furthermore, it was employed in developing tri-functional antibody ertumaxomab for breast cancer patients (Jager et al. 2009; PMID: 19435924).

**Antibody First Published in:** [PMID:](#)

**Note on publication:**

### Product Form

**Size:** 100 µg Purified antibody.

**Purification:** Protein A affinity purified

**Supplied In:**

PBS with 0.02% Proclin 300.

**Storage Recommendation:** Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.