



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-S protein (RBD) [1E2] Bulk Size Ab03638-1.159-BT

Isotype and Format: Mouse IgG1-Fc fusion

Clone Number: 1E2

Alternative Name(s) of Target: SARS CoV 2 S glycoprotein; COVID-19 Spike protein; RBD; Receptor Binding Domain; E2 glycoprotein; E2; Human coronavirus 2 spike glycoprotein; Peplomer protein; S glycoprotein; SARS coronavirus 2 S protein; SARS coronavirus 2 Spike Protein; SARS CoV 2 Spike protein; SARS CoV 2; SARS-CoV-2 S protein; SARSCoV2; SARS-COV-2 S protein; SARS-COV-2 Spike glycoprotein; SARSCOV2 Spike protein; Severe acute respiratory syndrome 2 spike glycoprotein; Severe acute respiratory syndrome virus 2 spike glycoprotein; Spike glycoprotein; 2019-nCoV; SARS-CoV2

UniProt Accession Number of Target Protein: P0DTC2

Published Application(s): neutralizing, SPR, ELISA

Published Species Reactivity: SARS-CoV-2

Immunogen: The original antibody was generated from a panel of humanized single domain antibodies derived from a synthetic library. The antibody was isolated by panning against SARS-CoV-2 spike receptor-binding domain (RBD).

Specificity: The antibody binds to the RBD of the Spike protein of SARS-CoV.

Application Notes: The specificity of the original format of the antibody was confirmed by ELISA analysis. The binding affinity of the VHH fragment to SARS-CoV-2 RBD was measured by surface plasmon resonance (Kd= 35.5 nM). The VHH showed half maximal neutralization concentration (EC50) of 0.069 µg/mL and 0.2401 µg/mL against SARS-CoV-2 pseudotypes, and authentic SARS-CoV-2, respectively. Fusion of the human IgG1 Fc to the VHH improved the neutralizing activity compared to the original format of the antibody. The Fc-fused VHH demonstrated potency with EC50 of 0.538 nM. (Chi et al, 2020; pmid: 32913273)

Antibody First Published in: Chi et al. Humanized single domain antibodies neutralize SARS-CoV-2 by targeting the spike receptor binding domain. Nat Commun. 2020 Sep 10;11(1):4528. [PMID:32913273](#)

Note on publication: The original paper describes the generation and characterization of the antibody.

Product Form

Size: 500 µg Purified antibody in bulk size.

Purification: Protein A affinity purified

Supplied In: PBS only.

Storage Recommendation: Store at 4°C for up to 3 months. Note, this antibody is provided without

added preservatives, it is therefore recommended this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.