



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-IL-1B [IC8] Bulk Size Ab03654-10.3-BT

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

This is a reformatted human IgG1 Fc Silent Fc Silent™ antibody, based on the original human IgG1 format, created for improved compatibility with existing reagents, assays and techniques.

**Isotype and Format:** Human IgG1, Fc Silent™, Kappa

**Clone Number:** IC8

**Alternative Name(s) of Target:** IL1B; IL-1β; 1L1F2; Interleukin-1 beta; IL-1 beta; Catabolin; 1C8

**UniProt Accession Number of Target Protein:** P01584

**Published Application(s):** neutralize

**Published Species Reactivity:** Human

**Immunogen:** The original mouse antibody was generated by immunizing mice with human IL-1B protein. The humanized version was generated by grafting CDRs of the original mouse antibody onto human framework regions.

**Specificity:** This antibody binds human Interleukin-1 beta, which is a potent pro-inflammatory cytokine. Initially discovered as the major endogenous pyrogen, induces prostaglandin synthesis, neutrophil influx and activation, T-cell activation and cytokine production, B-cell activation and antibody production, and fibroblast proliferation and collagen production. It promotes Th17 differentiation of T-cells and synergizes with IL12/interleukin-12 to induce IFNG synthesis from T-helper 1 (Th1) cells. It also plays a role in angiogenesis by inducing VEGF production synergistically with TNF and IL6.

**Application Notes:** This antibody is the humanized version of original mouse antibody IC8. This antibody binds human IL-1B with a binding affinity of  $K_d = 0.28$  nM. The Fab version of this antibody was reported to neutralize IL-1B activity both in an in vitro and an in vivo assay (US7608694).

**Antibody First Published in:** [PMID:](#)

**Note on publication:**

## Product Form

**Size:** 1 mg Purified antibody in bulk size.

**Purification:** Protein A affinity purified

**Supplied In:**

PBS only.

**Storage Recommendation:** Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommended this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.