



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-HLA-G [mem-G/9] Standard Size Ab03738-10.3

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

This is a reformatted human IgG1 Fc Silent Fc Silent™ antibody, based on the original human IgG1 format, created for improved compatibility with existing reagents, assays and techniques.

**Isotype and Format:** Human IgG1, Fc Silent™, Kappa

**Clone Number:** mem-G/9

**Alternative Name(s) of Target:** HLAG; HLA-6.0; HLA-G5; HLAG-6; HLA class I histocompatibility antigen alpha chain G; HLA G antigen; MHC class I antigen G; human leukocyte antigen

**UniProt Accession Number of Target Protein:** P17693

**Published Application(s):** ELISA, FC, IF, IHC

**Published Species Reactivity:** Human

**Immunogen:** The original antibody was generated by immunizing mice with native, properly folded, beta-2-microglobulin (b2m)-associated HLA-G.

**Specificity:** This antibody binds an epitope in the alpha 1 domain of human HLA-G. It binds the native form of human HLA-G1 on the cell surface as well as with soluble HLA-G5 isoform in its beta2-microglobulin associated form. It is also reported to cross react with HLA-G3.

**Application Notes:** This antibody is not suitable for detecting denatured human HLA-G protein in a western blot. This antibody can be used for the detection of soluble HLA-G in a sample using ELISA (PMID: 10902607). This antibody can effectively detect HLA-G and HLA-G3 on K653-HLA-G1, K562-G3 transductants, M8-HLA-G1 and JEG-3 cells in a flow cytometric analysis (PMID: 12590976; 22738368). This antibody was also used for studying the expression of HLA-G on the surface of JEG-3 cells using immunofluorescence staining (PMID: 22738368). This antibody can be used for immunohistochemical analysis of cryopreserved serial sections of trophoblast tissue. This antibody is not suitable for immunohistochemical staining of paraffin sections (PMID: 12590976). This antibody was also reported to be used in isolation of HLA-G+ cells for prenatal screening (PMID: 35498932).

**Antibody First Published in:** Fournel et al. Comparative reactivity of different HLA-G monoclonal antibodies to soluble HLA-G molecules. Tissue Antigens. 2000 Jun;55(6):510-8. [PMID:10902607](#)

**Note on publication:** This paper evaluated the ability of different HLA-G antibodies to react with soluble HLA-G in an ELISA.

## Product Form

**Size:** 100 µg Purified antibody.

**Purification:** Protein A affinity purified

**Supplied In:** PBS with 0.02% Proclin 300.

**Storage Recommendation:** Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.