

# Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

#### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

#### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com



Anti-CD257 (BAFF) [5B7] Bulk Size, 1 mg, Ab03782-2.0-BT View online

## Anti-CD257 (BAFF) [5B7] Bulk Size Ab03782-2.0-BT

Isotype and Format: Mouse IgG2a, Kappa

Clone Number: 5B7

**Alternative Name(s) of Target:** BLyS; TNFSF13B; TALL-1; TNFSF20; ZTNF4; Tumor necrosis factor ligand superfamily member 13B; B lymphocyte stimulator; B-cell-activating factor; Dendritic cell-derived TNF-like molecule; TNF and APOL-related leukocyte expressed ligand 1

**UniProt Accession Number of Target Protein:** Q9Y275

Published Application(s): Block, FC

Published Species Reactivity: Human, Cynomolgus Monkey, Mouse

**Immunogen:** The original antibody was isolated from a naïve human scFv phage library using multiple panning strategies including solid-phase panning with immobilized CD47 and solution-phase panning using biotinylated CD47.

**Specificity:** This antibody binds human BAFF protein and cross reacts with mouse and cynomolgus monkey BAFF protein. B-cell-activating factor (BAFF/CD257) is a cytokine belonging to the tumour-necrosis factor (TNF) family. This cytokine binds to TNFRSF13B/TACI, TNFRSF17/BCMA, and TNFRSF13C/BAFF-R. BAFF is a survival factor for B cells that controls B-cell maturation. It is also involved in the stimulation of B-and T-cell function and the regulation of humoral immunity.

**Application Notes:** This antibody is capable of reacting with both soluble and membrane bound human, mouse and cynomolgus monkey BAFF/ BLyS protein. The binding ability of this antibody to membrane bound CHO-human BLys, HEK293-mouse BLyS and CHO-cynomolgus monkey BLyS protein was determined using flow cytometry. This antibody is capable of blocking the interaction between human BAFF and BR3. This antibody was also capable of neutralizing BLyS-mediated B-cell proliferation. The binding affinity characterization of this antibody was done using SPR. It was reported that the original IgG antibody binds human and mouse BLyS with a binding affinity of Kd=  $4X10^{(-10)}$  M and Kd=  $1.45X10^{(-11)}$  M respectively (US20170101466).

Antibody First Published in: PMID: Note on publication:

### **Product Form**

Size: 1 mg Purified antibody in bulk size.Purification: Protein A affinity purifiedSupplied In:

PBS only.

**Storage Recommendation:** Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommed this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.