



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-TGF beta1 [SL15S] Standard Size Ab03786-30.11

This is an scFv fragment with a His tag.

This is a reformatted human scFv antibody, based on the original human scFv format, created for improved compatibility with existing reagents, assays and techniques.

**Isotype and Format:** scFv fragment (His), ScFv

**Clone Number:** SL15S

**Alternative Name(s) of Target:** TGFβ1; CAT-191; Kylie scFv; TGFB1, TGFB, Transforming growth factor beta-1, TGF-beta-1; Transforming growth factor beta-1 proprotein

**UniProt Accession Number of Target Protein:** P01137

**Published Application(s):** neutralizing, ELISA

**Published Species Reactivity:** Human

**Immunogen:** The original antibody was generated by panning a human phage antibody library against TGF beta1.

**Specificity:** The antibody is specific for TGFβ2. It does not cross-react with TGFβ2 or TGFβ3.

**Application Notes:** The specificity of the original format of the antibody was confirmed by ELISA analysis. The ability of the scFv fragment to recognise TGFβ1 and neutralise binding of TGFβ1 to A549 cells was measured in the radioreceptor assay. The scFv fragment was a highly potent, neutralising antibody for TGFβ1, with IC50 values in the range 0.03 to 0.1 nM. In particular, the scFv fragment could neutralise active, but not latent, TGFβ1 (US7151169B2).

**Antibody First Published in:** [PMID:](#)

**Note on publication:**

### Product Form

**Size:** 100 µg Purified antibody.

**Purification:** Purified by Immobilized Metal Affinity Chromatography

**Supplied In:** PBS with 0.02% Proclin 300.

**Storage Recommendation:** Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic

procedures for humans or animals.