



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-gp120 protein (CD4-binding domain) [559/64-D] Standard Size Ab03845-10.3

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

This is a reformatted human IgG1 Fc Silent Fc Silent™ antibody, based on the original human IgG1 format, created for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Human IgG1, Fc Silent™, Kappa

Clone Number: 559/64-D

Alternative Name(s) of Target: CD4-bd; Surface protein gp120; Glycoprotein 120; gp120

UniProt Accession Number of Target Protein: P03377

Published Application(s): Blocking, neutralization, ELISA

Published Species Reactivity: HIV-1

Immunogen: The antibody was generated by fusing Ab-producing cells pooled from two separate patients.

Specificity: The antibody recognises a conformational epitopes of the gp120 envelope protein of HIV-1.

Application Notes: The specificity of the original format of the antibody was confirmed by ELISA analysis. The antibody was able to block the interaction between recombinant CD4 (rCD4) and rgp120. It was also able to achieve 50% neutralization of HTLV-IIIB and MN strains of HIV-1 in a concentration range of 0.5-12.8 micrograms/mL. The binding affinity of the antibody for gp120 in solution was measured, dissociation constants (Kd) equal to 40 nM.

Antibody First Published in: Karwowska et al. Production of human monoclonal antibodies specific for conformational and linear non-V3 epitopes of gp120 AIDS Res Hum Retroviruses. 1992 Jun;8(6):1099-106. doi: 10.1089/aid.1992.8.1099. [PMID:1380257](#)

Note on publication: The original paper describes the generation and characterization of the antibody.

Product Form

Size: 100 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -

20°C.

Concentration: 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.