



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-CD155 [CD155.16 ] Bulk Size Ab03901-23.0-BT

**Isotype and Format:** Rabbit IgG, Kappa

**Clone Number:** CD155.16

**Alternative Name(s) of Target:** PVR; PVS; NECL-5; Poliovirus receptor; Nectin-like protein 5

**UniProt Accession Number of Target Protein:** P15151

**Published Application(s):** FC

**Published Species Reactivity:** Human

**Immunogen:** The original antibody was generated by immunizing KAC mice (KAC mouse is a genetically engineered mouse strain that expresses BAP -Biotin Accepting Peptide, sequence on constant part of kappa chain) subcutaneously with CD155-Fc fusion protein.

**Specificity:** This antibody binds human CD155 also called the poliovirus receptor (PVR). The binding of this antibody does not block binding of TIGIT to CD155/PVR. This protein mediates NK cell adhesion and triggers NK cell function. It also binds two NK cell receptors CD96 and CD226. CD155 is gaining more interest as a therapeutic target in the field of tumor immunology due to its prominent endogenous and immune functions.

**Application Notes:** This antibody was used to identify CD155 expression on U-87 MG and U-87 MG PVRhi cell lines using flow cytometry. This antibody was used in the generation of anti-CD155 -saporin and anti-CD155-diphtheria immunotoxins and were tested for its antitumor activity. Cytotoxic effect was determined by ToxiLight kit. The results suggested that the immunotoxins were successful in killing CD155 expressing tumor cells.(WO2019102456).

**Antibody First Published in:** [PMID:](#)

**Note on publication:**

### Product Form

**Size:** 1 mg Purified antibody in bulk size.

**Purification:** Protein A affinity purified

**Supplied In:** PBS only.

**Storage Recommendation:** Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommended this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic

procedures for humans or animals.