



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

# Anti-M protein, serotype 5 [49.8.9] Standard Size Ab03920-1.1

**Isotype and Format:** Mouse IgG1, Kappa

**Clone Number:** 49.8.9

**Alternative Name(s) of Target:** Myosin; Streptococcal M-protein; Keratin; DNA; Vimentin; Troponin; Ganglioside; Glycophorin M,N

**UniProt Accession Number of Target Protein:** P02977

**Published Application(s):** HA, PRNT, WB, ELISA

**Published Species Reactivity:** Rat, Streptococcus pyogenes, Human

**Immunogen:** The original antibody was generated by immunizing BALB/c BYJ mice with streptococcal M type 5 membranes followed by a second, boosting dose of M type 5 streptococcal membranes.

**Specificity:** This antibody reacts with  $\alpha$ -helical molecules and the carbohydrate N-acetyl-b-D-glucosamine (GlcNAc). Specifically, it binds streptococcal M-protein (type 5), human myosin, keratin, DNA, vimentin, troponin, ganglioside, and glycophorin M,N.

**Application Notes:** This antibody reacts with human heart cells and whole streptococci (group A, M type 5), as shown in an ELISA, and with human heart cells, human sarcolemma (weak response), and group A streptococcal membranes (weak response), as shown in a WB (Cunningham et al., 1984; PMID: 6384047). This antibody labels the cytoplasm of epidermal cells and epidermal appendages in normal and psoriatic skin, as shown by immunofluorescent staining (Swerlick et al., 1986; PMID: 3525693). This antibody binds CV (B3), as shown in an ELISA; neutralizes PV-1 and CV (B3), as shown in a plaque-reduction neutralization assay; and is slightly cytotoxic to rat fibroblasts, as shown in a cytotoxicity assay (Cunningham et al., 1992; PMID: 1311095). This antibody reacts with retinal S-antigen (S-Ag), as shown in an ELISA (Lerner et al., 1995; PMID: 8722579). This antibody binds myosin at a medium relative avidity, as determined in a competitive ELISA. Reactivity with glycophorin M and N was determined by hemagglutination assay (Mertens et al., 2000; PMID: 11282394).

**Antibody First Published in:** Cunningham et al. Murine monoclonal antibodies reactive with human heart and group A streptococcal membrane antigens *Infect Immun.* 1984 Oct;46(1):34-41. doi:

10.1128/iai.46.1.34-41.1984 [PMID:6384047](#)

**Note on publication:** The original publication characterizes the antibody's reactivity with human heart and streptococcal antigens.

## Product Form

**Size:** 100 µg Purified antibody.

**Purification:** Protein A affinity purified

**Supplied In:** PBS with 0.02% Proclin 300.

**Storage Recommendation:** Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.